

# uRapidFlowPro Fixed Row format

While Product and Category records require a dynamic row format, which would allow flexible columns configuration, other information in catalog requires well defined and DB oriented format. We call it “fixed row format”.

Example of file with fixed format rows:

```
##CPC0,sku,default_title,type,is_require,option_sku,sort_order,max_characters,price,price_type,file_extension,image_size_x,image_size_y
CPC0,SKU1,"Custom Option 1",drop_down,0,OPTION_SKU,1

##CPC0L,sku,default_title,store,title,price,price_type
CPC0L,SKU1,"Custom Option 1",store1,"Store Specific Option Name"

##CPC0S,sku,default_title,selection_default_title,selection_sku,sort_order,price,price_type
CPC0S,SKU1,"Custom Option 1","Product Selection Name",SELSKU1,1

##CPC0SL,sku,default_title,selection_default_title,store,title,price,price_type
CPC0SL,SKU1,"Custom Option 1","Product Selection Name",store1,"Store Specific Selection Name"

##CPRI,sku,linked_sku,position,qty
CPRI,SKU1,RELATED_SKU

##CPGI,sku,linked_sku,position,qty
CPGI,SKU1,GROUPED_SKU,1,2
```

The file above will create a dropdown custom option named “Custom Option 1” for product SKU1. This custom option will have store view specific label “Store Specific Option Name”, and a selection of one product “Product Selection Name”, with store view specific label as well. Also, it will add RELATED\_SKU as related to SKU1 and GROUPEd\_SKU as a child grouped product with default quantity of 2.

Each row begins with action char and row type identifier. If action char is omitted, insert/update is implied.

Action Char	Meaning
+	Insert/Update (optional)
-	Delete
%	Rename (* see below for explanation)
#	Comment line (## is used for row structure explanation)
!	Define column order for row type within the file (ROADMAP)

\* For example, in CPC0, “default\_title” is used as a key to update store view specific records. Use “[%] Rename” action to change this title.

First few fields are always required, others are optional, but the row structure should always remain the same.

This allows to combine different types of fixed format rows into the same file, as there's no need for header titles, which means each row's structure is well known and will be expected by the parser.

## EAV Structure Row Types

### Allowed actions

Row Type	Create	Update	Delete	Rename (*)	Description
<b>EA</b>	X	X	X	X	<a href="#">EAV Attribute</a>
<b>EAL</b>	X	X	X		<a href="#">EAV Attribute Store Specific</a>
<b>EAX</b>		X			<a href="#">EAV Attribute Extension</a>
<b>EAXP</b>		X			<a href="#">EAV Attribute Product Extension</a>
<b>EAS</b>	X	X	X		<a href="#">EAV Attribute Set</a>
<b>EAG</b>	X	X	X		<a href="#">EAV Attribute Group</a>
<b>EASI</b>	X	X	X		<a href="#">EAV Attribute Within Attribute Set</a>
<b>EAO</b>	X	X	X		<a href="#">EAV Attribute Option</a>
<b>EAOL</b>	X	X	X		<a href="#">EAV Attribute Option Store Specific</a>
<b>EAOS</b>	X	X	X		<a href="#">EAV Attribute Swatch (magento2 only)</a>
<b>EAOSL</b>	X	X	X		<a href="#">EAV Attribute Swatch Store Specific (magento2 only)</a>
<b>CC</b>			X		<a href="#">Catalog Category</a>
<b>CCP</b>	X	X	X		<a href="#">Catalog Category-Product Association</a>
<b>CP</b>			X	X	<a href="#">Catalog Product</a>
<b>CPI</b>	X	X	X		<a href="#">Catalog Product Image</a>
<b>CPIL</b>	X	X	X		<a href="#">Catalog Product Image Store Specific</a>
<b>CPCO</b>	X	X	X	X	<a href="#">Catalog Product Custom Option</a>
<b>CPCOL</b>	X	X	X		<a href="#">Catalog Product Custom Option Store Specific</a>
<b>CPCOS</b>	X	X	X	X	<a href="#">Catalog Product Custom Option Selection</a>
<b>CPCOSL</b>	X	X	X		<a href="#">Catalog Product Custom Option Selection Store Specific</a>
<b>CPBO</b>	X	X	X	X	<a href="#">Catalog Product Bundle Option</a>
<b>CPBOL</b>	X	X	X		<a href="#">Catalog Product Bundle Option Store Specific</a>
<b>CPBOS</b>	X	X	X		<a href="#">Catalog Product Bundle Option Selection</a>
<b>CPRI</b>	X	X	X		<a href="#">Catalog Product Related Item</a>
<b>CPUI</b>	X	X	X		<a href="#">Catalog Product Up Sell Item</a>
<b>CPXI</b>	X	X	X		<a href="#">Catalog Product Cross Sell Item</a>
<b>CPGI</b>	X	X	X		<a href="#">Catalog Product Grouped Item</a>
<b>CPSA</b>	X	X	X	X	<a href="#">Catalog Product Super Configurable Attribute</a>
<b>CPSAL</b>	X	X	X		<a href="#">Catalog Product Super Configurable Attribute Store Specific</a>
<b>CPSAP</b>	X	X	X		<a href="#">Catalog Product Super Configurable Attribute Pricing</a>
<b>CPSI</b>	X	X	X		<a href="#">Catalog Product Super Configurable Item</a>
<b>CPD</b>	X	X	X	X	<a href="#">Catalog Product Downloadable</a>

Row Type	Create	Update	Delete	Rename (*)	Description
CPDL	X	X	X		Catalog Product Downloadable Label
CPDP	X	X	X		Catalog Product Downloadable Price
CPDS	X	X	X	X	Catalog Product Downloadable Sample
CPDSL	X	X	X		Catalog Product Downloadable Sample Label
CPPT	X	X	X		Catalog Product Tier Prices
CPPG	X	X	X		Catalog Product Group Prices

\* Rename is in ROADMAP, currently only CP and CPBO are implemented.

## EA: EAV Attribute

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	backend_type		X	
3	frontend_input		X	
4	frontend_label		X	
5	is_required		X	
6	is_unique		X	
7	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Create attributes

```
##EA,attribute_code,backend_type,frontend_input,frontend_label,is_required,is_unique
EA,custom_field,varchar,select,Custom Dropdown Field,0,0
```

## EAL: EAV Attribute Store Specific

Support only for Magento CE 1.4.0.0+ or EE 1.7.0.0+

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	store	X	X	
3	label		X	
4	entity_type	X		If not specified, 'catalog_product' used by default

## EAX: EAV Attribute Extension

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	attribute_model			
3	backend_model			
4	backend_table			
5	frontend_model			
6	frontend_class			
7	source_model			
8	default_value			
9	note			
10	entity_type	X		If not specified, 'catalog_product' used by default

## EAXP: EAV Attribute Product Extension

### Create/Update Columns

#### Magento 1

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	is_global			
3	is_visible			
4	is_searchable			
5	is_filterable			
6	is_comparable			
7	is_visible_on_front			
8	is_html_allowed_on_front			
9	is_used_for_price_rules			
10	is_filterable_in_search			
11	used_in_product_listing			
12	used_for_sort_by			
13	is_configurable			
14	apply_to			
15	is_visible_in_advanced_search			
16	position			
17	frontend_input_renderer			
18	is_wysiwyg_enabled			

#### Magento 2

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	string

#	Column	Key?	Required?	Comments
2	is_global			int
3	is_visible			int
4	is_searchable			int
5	is_filterable			int
6	is_comparable			int
7	is_visible_on_front			int
8	is_html_allowed_on_front			int
9	is_used_for_price_rules			int
10	is_filterable_in_search			int
11	used_in_product_listing			int
12	used_for_sort_by			int
13	apply_to			string
14	is_visible_in_advanced_search			int
15	position			int
16	frontend_input_renderer			string
17	is_wysiwyg_enabled			int
18	is_used_for_promo_rules			int
19	is_required_in_admin_store			int
20	is_used_in_grid			int
21	is_visible_in_grid			int
22	is_filterable_in_grid			int
23	search_weight			float
24	additional_data			text

## EAS: EAV Attribute Set

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	set_name	X	X	
2	sort_order			
3	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Create attribute set

```
##EAS,set_name,sort_order,entity_type
EAS,New Attribute Set
```

## EAG: EAV Attribute Group

## Create/Update Columns

### Magento 1

#	Column	Key?	Required?	Comments
1	set_name	X	X	
2	group_name	X	X	
3	sort_order			
4	entity_type	X		If not specified, 'catalog_product' used by default

### Magento 2

#	Column	Key?	Required?	Comments
1	set_name	X	X	string
2	group_name	X	X	string
3	sort_order			int
4	default_id	X		int
5	attribute_group_code	X		varchar
6	tab_group_code	X		varchar
7	entity_type	X		If not specified, 'catalog_product' used by default

## EASI: EAV Attribute Within Attribute Set

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	set_name	X	X	
2	group_name	X	X	
3	attribute_code	X	X	
4	sort_order			
5	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Add attribute to attribute set

```
##EASI,set_name,group_name,attribute_code,sort_order,entity_type
EASI,New Attribute Set,General,your_attribute,10
```

#### Remove attribute from attribute set

```
##-EASI,set_name,attribute_code,entity_type
-EASI,New Attribute Set,your_attribute
```

## EAO: EAV Attribute Option

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	option_name	X	X	
3	sort_order			
4	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Add attribute options

```
EAO,custom_field,Option 1,1
EAO,custom_field,Option 2,2
```

## EAOL: EAV Attribute Option Store Specific

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	
2	option_name	X	X	
3	store	X	X	
4	option_label		X	
5	entity_type	X		If not specified, 'catalog_product' used by default

## EAOS: EAV Attribute Option Swatch (magento2 only)

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	varchar
2	swatch_name	X	X	varchar
3	option_name	X	X	varchar
4	sort_order			int
5	type			int - 0 - text, 1 - visual color, 2 - visual image
6	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Add attribute swatches

```
#EAOS,attribute_code,swatch_name,option_name,sort_order,type,entity_type
EAOS,custom_field,#000000,Black,1,1
EAOS,custom_field,55 cm,55 cm,2,0
```

## EAOSL: EAV Attribute Swatch Store Specific (magento2 only)

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	attribute_code	X	X	varchar
2	default_swatch_name	X	X	varchar
3	store	X	X	varchar
4	locale_swatch_name		X	varchar
5	entity_type	X		If not specified, 'catalog_product' used by default

### Examples

#### Add attribute swatch locale version

```
#EAOSL,attribute_code,default_swatch_name,store,locale_swatch_name,entity_type
EAOSL,custom_field,#000000,default,black
EAOSL,custom_field,55 cm,default,2"
```

## Product Extra Data Row Types

### CC: Catalog Category

#### Examples

##### Delete categories

```
-CC,electronics/accessories
-CC,misc/accessories
```

### CCP: Catalog Category-Product Association

Can be used to specify product position within category. Alternatively, products can be associated in "Product" data type files.



## Examples

### Create category-product associations

```
CCP,electronics/accessories,SKU1,1
CCP,misc/accessories,SKU2,5
```

### Delete category-product associations

```
-CCP,electronics/accessories,SKU1
-CCP,misc/accessories,SKU2
```

## CP: Catalog Product

### Examples

#### Delete products

```
-CP,SKU1
-CP,SKU2
```

#### Rename product SKU

```
%CP,OLDSKU,NEWSKU
```

## CPI: Catalog Product Image

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	image_url	X	X	
3	label			
4	position			
5	disabled			

### Examples

#### Add Gallery Images

### CPI.csv

```
# CPI,sku,image name,image label,position,disabled
# to add images
CPI,SKU-1,i/m/image1.jpg,"Image 1 label",1,0
CPI,SKU-1,i/m/image2.jpg,"Image 2 label",2,0

# to add images but exclude them from gallery
CPI,SKU-1,i/m/image3.jpg,"Image 3 label",3,1
CPI,SKU-1,i/m/image4.jpg,"Image 4 label",4,1

# delete image
-CPI,SKU-1,i/m/image5.jpg
```

## CPII: Catalog Product Image Store Specific

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	image_url	X	X	
3	store	X	X	Can't be "admin"
4	label			
5	position			
6	disabled			

## CPV: Catalog Product Video

### Magento 2 only

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	url	X	X	
3	screenshot	X	X	
4	store	X	X	
5	title			
6	provider			
7	description			
8	metadata			
9	position			
10	disabled			

## CPVL: Catalog Product Video Store Specific

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	screenshot	X	X	
3	store	X	X	Can't be "admin"
4	label		X	
5	position			
6	disabled			

### Examples

#### Add Gallery Videos

[CPI.csv](#)

```
#CPV, sku ,url ,screenshot ,store ,title ,provider ,description
,metadata ,position ,disabled
# to add video
CPV, SKU-1, https://youtu.be/08NYn-H03Lc, image1.jpg, default, "Video 1
title", youtube, "lorem ipsum dolor", "some meta data", 1, 0

# to add video but exclude it from gallery
CPV, SKU-1, https://youtu.be/08NYn-H03Lc, image1.jpg, default, "Video 1
title", youtube, "lorem ipsum dolor", "some meta data", 1, 1

# -CPV, sku ,url ,screenshot ,store
# delete video
-CPV,SKU-1, https://youtu.be/08NYn-H03Lc, /i/m/image5.jpg, default

# -CPVL, sku ,url ,screenshot ,store
# delete video store specific
-CPVL,SKU-1, https://youtu.be/08NYn-H03Lc, /i/m/image5.jpg, default
```

## CPCO: Catalog Product Custom Option

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	type		X	
4	is_require			

#	Column	Key?	Required?	Comments
5	option_sku			
6	sort_order			
7	max_characters			
8	price			
9	price_type			
10	file_extension			
11	image_size_x			
12	image_size_y			

### Examples

#### Add custom options to a product

[custom\\_options.csv](#)

```
# // Add a non-required text custom option
##CPC0,sku,default_title,type,is_require,option_sku,sort_order,max_characters,price,price_type,file_extension,image_size_x,image_size_y
CPC0,PRODUCT_SKU,Text option,field,0,,1

# // Add a required dropdown custom option
##CPC0,sku,default_title,type,is_require,option_sku,sort_order,max_characters,price,price_type,file_extension,image_size_x,image_size_y
CPC0,PRODUCT_SKU,Color,drop_down,1,,2
##CPCOS,sku,default_title,selection_default_title,selection_sku,sort_order,price_price_type
CPCOS,PRODUCT_SKU,Color,Blue,BLUE,1
CPCOS,PRODUCT_SKU,Color,Red,RED,2
```

### CPCOL: Catalog Product Custom Option Store Specific

#### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	store	X	X	
4	title		X	
5	price			
6	price_type			

### CPCOS: Catalog Product Custom Option Selection

**Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	selection_default_title	X	X	
4	selection_sku			
5	sort_order			
6	price			
7	price_type			

**CPCOSL: Catalog Product Custom Option Selection Store Specific****Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	selection_default_title	X	X	
4	store		X	
5	title		X	
6	price			
7	price_type			

**CPBO: Catalog Product Bundle Option****Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	position			
4	type			
5	required			

**Examples****Add a Bundle Product**

```
##CPBO,sku,default_title,position,type,required
CPBO,BUNDLE_SKU,CPU,1,select,1
CPBO,BUNDLE_SKU,RAM,2,select,0
##CPBOS,sku,default_title,selection_sku,position,is_default,selection_price_
type,selection_price_value,selection_qty,selection_can_change_qty
CPBOS,BUNDLE_SKU,CPU,"CORE2DUO",1,1,0,100,1,0
CPBOS,BUNDLE_SKU,CPU,"PHENOMII",2,0,0,120,1,0
CPBOS,BUNDLE_SKU,RAM,"2GB",1,1,0,30,1,1
```

CPBOS , BUNDLE\_SKU , RAM , "4GB" , 2 , 0 , 0 , 60 , 1 , 1

## CPBOL: Catalog Product Bundle Option Store Specific

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	store	X	X	
4	title		X	

## CPBOS: Catalog Product Bundle Option Selection

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	selection_sku	X	X	
4	position			
5	is_default			
6	selection_price_type			
7	selection_price_value			
8	selection_qty			
9	selection_can_change_qty			

## CPBOSL: Catalog Product Bundle Option Selection Price

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	selection_sku	X	X	
4	selection_price_type		X	
5	selection_price_value		X	
6	website	X	X	

### Delete Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	selection_sku	X	X	
4	website	X	X	

## Examples

### Add a Bundle Product

[cpbosl.csv](#)

```

"##CPBOSL","sku","default_title","selection_sku","selection_price_type"
,"selection_price_value","website"
"CPBOSL","24-WG080","Sprite Stasis Ball","24-WG081-blue",1,3,"base"
"CPBOSL","24-WG080","Sprite Stasis Ball","24-WG082-blue",1,4,"base"
"CPBOSL","24-WG080","Sprite Stasis Ball","24-WG083-blue",1,4,"base"
"##-CPBOSL","sku","default_title","selection_sku","website"
"-CPBOSL","24-WG080","Sprite Stasis Ball","24-WG083-blue","base"

```

## CPRI: Catalog Product Related Item

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	linked_sku	X	X	
3	position			
4	qty			

## CPUI: Catalog Product Up Sell Item

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	linked_sku	X	X	
3	position			
4	qty			

## CPXI: Catalog Product Cross Sell Item

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	linked_sku	X	X	
3	position			
4	qty			

## CPGI: Catalog Product Grouped Item

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	linked_sku	X	X	
3	position			
4	qty			

## CPSA: Catalog Product Super Configurable Attribute

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	attribute_code	X	X	
3	position		X	
4	label		X	

### Examples

Basic link between configurable product and 5 simple products using 2 attributes

```
##CPSA,sku,attribute_code,position,label
CPSA,CONFIGURABLE,color,1,Color
CPSA,CONFIGURABLE,size,2,Size
##CPSI,sku,linked_sku
CPSI,CONFIGURABLE,SIMPLE-BLUE-L
CPSI,CONFIGURABLE,SIMPLE-RED-L
CPSI,CONFIGURABLE,SIMPLE-BLUE-M
CPSI,CONFIGURABLE,SIMPLE-RED-M
CPSI,CONFIGURABLE,SIMPLE-BLUE-S
```

## CPSAL: Catalog Product Super Configurable Attribute Store Specific

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	attribute_code	X	X	
3	store		X	
4	label			



## CPSAP: Catalog Product Super Configurable Attribute Pricing

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	attribute_code	X	X	
3	value_label	X	X	
4	website	X	X	
5	pricing_value		X	
6	is_percent		X	

## CPSI: Catalog Product Super Configurable Item

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	linked_sku	X	X	

## CPPT: Catalog Product Tier Prices

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	customer_group	X	X	Use '*' for all groups
3	qty	X	X	
4	price		X	
5	website			

### Delete Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	customer_group	X	X	Use '*' for all groups
3	qty	X	X	
4	website			

## CPPG: Catalog Product Group Prices

(available for Rapidflow 2.0.0.2 and further)

### Create/Update Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	

#	Column	Key?	Required?	Comments
2	customer_group	X	X	
3	price		X	
4	website			

**Delete Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	customer_group	X	X	
4	website			

**CPD: Catalog Product Downloadable**

**Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	title	X	X	
3	price			
4	max_downloads			
5	is_shareable			
6	sort_order			
7	link_url			
8	link_file			
9	link_type			
10	sample_url			
11	sample_file			
12	sample_type			

**CPDL: Catalog Product Downloadable Store Specific**

**Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	store	X	X	
4	title		X	

**CPDP: Catalog Product Downloadable Website Price**

**Create/Update Columns**

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	

#	Column	Key?	Required?	Comments
3	website	X	X	
4	price		X	

## CPDS: Catalog Product Downloadable Sample

### Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	title	X	X	
3	sort_order			
4	sample_url			
5	sample_file			
6	sample_type			

## CPDSL: Catalog Product Downloadable Sample Store Specific

### Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	default_title	X	X	
3	store	X	X	
4	title		X	

## Roadmap

Row Type	Description	Comments
<b>CT</b>	Catalog Tag	
<b>CTL</b>	Catalog Tag Store Specific	
<b>CTP</b>	Catalog Tag Product Relation	
<b>CS</b>	Catalog Search	
<b>AC</b>	Customer	
<b>AA</b>	Customer Address	
<b>SO</b>	Sales Order	
<b>SI</b>	Sales Invoice	
<b>SS</b>	Sales Shipment	
<b>SC</b>	Credit Memo	

## CT: Catalog Tag

### Columns

#	Column	Key?	Required?	Comments
1	tag_name	X	X	

#	Column	Key?	Required?	Comments
2	status			

### CTL: Catalog Tag Store Specific

#### Columns

#	Column	Key?	Required?	Comments
1	tag_name	X	X	
2	store			
3	customers			
4	products			
5	uses			
6	historical_uses			
7	popularity			

### CTP: Catalog Tag Product Relation

#### Columns

#	Column	Key?	Required?	Comments
1	sku	X	X	
2	tag_name	X	X	
3	store			
4	active			
5	created_at			

From: <https://unirgy.com/wiki/> - UnirgyWiki

Permanent link: [https://unirgy.com/wiki/urapidflow/fixed\\_row\\_format?rev=1516665108](https://unirgy.com/wiki/urapidflow/fixed_row_format?rev=1516665108)

Last update: 2018/01/22 23:51

