

bootstrap.php

```

<?php
// initialize Magento environment

try {
//   if you move this file, adjust bootstrap.php path
    require __DIR__ . '/../../../../../app/bootstrap.php';
} catch (\Exception $e) {
    echo <<<HTML
{$e->getMessage()}
</div>
HTML;
    exit(1);
}

$params = $_SERVER;
$params[\Magento\Store\Model\StoreManager::PARAM_RUN_CODE] = 'admin';
// change this to appropriate store if needed.
$params[\Magento\Store\Model\Store::CUSTOM_ENTRY_POINT_PARAM] = true;
$bootstrap = \Magento\Framework\App\Bootstrap::create(BP, $params); //
bootstrap

/** @var \Magento\Framework\App\Http $app */
$app = $bootstrap->createApplication('Magento\Framework\App\Http');

// configure environment
$om = $bootstrap->getObjectManager();
$areaList = $om->get('Magento\Framework\App\AreaList');
$areaCode = $areaList->getCodeByFrontName('admin');
/** @var \Magento\Framework\App\State $state */
$state = $om->get('Magento\Framework\App\State');
$state->setAreaCode($areaCode);
/** @var \Magento\Framework\ObjectManager\ConfigLoaderInterface
$configLoader */
$configLoader =
$om->get('Magento\Framework\ObjectManager\ConfigLoaderInterface');
$om->configure($configLoader->load($areaCode));
// end initialize Magento environment

```

urapidflow.php

```

<?php
include __DIR__ . '/bootstrap.php';

// download from http location
$res = @copy('http://remote.server.com/archive.zip', $targetDir .
'archive.zip');
if ($res !== true) {
    echo 'ERROR downloading file';
}

```

```
    exit;
}

// unpack the archive
$zip = new ZipArchive();
$res = $zip->open($targetDir . 'archive.zip');
if ($res !== true) {
    echo 'ERROR unpacking archive';
    exit;
}
$zip->extractTo($targetDir);
$zip->close();

// run the profile, which should be associated with final import file
$om->get('\Unirgy\RapidFlow\Helper\Data')->run('Your Import Profile');
```

From:

<https://secure.unirgy.com/wiki/> - UnirgyWiki

Permanent link:

https://secure.unirgy.com/wiki/urapidflow/v3/file_preprocess

Last update: **2017/05/19 19:08**

